

	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and split\$5 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
<b>2</b>	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
<b>3</b>	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and split\$5 and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
<b>4</b>	(error adj correct\$5) and dsl and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
<b>5</b>	bandwidth and power and dsl and split\$5 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
<b>6</b>	(error adj correct\$5) and dsl and dmt and bin\$2 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
<b>7</b>	(bin\$2 with (error adj correct\$5)) and dsl and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
<b>8</b>	(bin\$2 with (error adj correct\$5)) and dsl and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
<b>9</b>	(bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
<b>10</b>	("5400322"   "5479447"   "5533008"   "5596604"   "5790550"   "5822374"   "5852633"   "5867528").PN.	USPAT
<b>11</b>	("5515387"   "5903602"   "6038294"   "6233275"   "6345071"   "6430219").PN.	USPAT
<b>12</b>	6587502.URPN.	USPAT
<b>13</b>	6587502.URPN.	USPAT
<b>14</b>	6122247.URPN.	USPAT
<b>15</b>	("4328581"   "4833706"   "5309503"   "5400322"   "5475864"   "5479447"   "5548819"   "5596604"   "5598435"   "5603082").PN.	USPAT
<b>16</b>	5852633.URPN.	USPAT

	Search Text	DBs
17	5852633.URPN.	USPAT
18	attenuation and noise and mask	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	attenua\$5 and (nois\$5 adj (power or level)) and (power adj mask) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	(bisection adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	(bi?section adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	(section adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	(split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	(allocat\$5 or assign\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	(allocat\$5 or assign\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	(allocat\$5 or assign\$5 or splic\$5 or split\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	(allocat\$5 or assign\$5 or splic\$5 or split\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	(allocat\$5 or assign\$5 or splic\$5 or split\$5) same ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) )and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
29	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) )and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) ) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$5 or ton\$5) ) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	<b>Search Text</b>	<b>DBs</b>
36	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	EPO; JPO; DERWENT; IBM_TDB
38	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT
39	((allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) near2 (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) with ((power or energ\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT
40	((assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) near2 (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) with ((power or energ\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT
41	("Re31253"   "4087654"   "4131766"   "4247940"   "4464545"   "4682358"   "4800573"   "4924492"   "5052000"   "5285474"   "5317596"   "5400322"   "5461640"   "5479447"   "5495483"   "5574974"   "5619505"   "5649299"   "5715277"   "5732353"   "5777544"   "5784407"   "5852633").PN.	USPAT
42	(sequenti\$5 adj divid\$5 adj bandwidth\$5) and @ad<20010126	USPAT
43	(sequenti\$5 adj divid\$5 adj bandwidth\$5) and @ad<20010126	USPAT

	Search Text	DBs
44	((divid\$5 or separ\$5) adj bandwidth\$5) and @ad<20010126	USPAT
45	dmt and (hal\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	dmt and dsl and (hal\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	dmt and dsl and (half or halves) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	dmt and dsl and ((half or halves) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) ) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	dmt and dsl and ((half or halves) with success\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	dmt and dsl and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	EPO; JPO; DERWENT; IBM_TDB
53	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT
54	dmt and dsl and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT
55	dmt and (dsl or slic) and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT
56	dmt and (dsl or slic) and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT; US-PGPUB
57	dmt and (dsl or slic) and @ad<20010126	USPAT; US-PGPUB
58	dmt and (dsl or slic) and @ad<20010126	EPO; JPO; DERWENT; IBM_TDB
59	dmt and (dsl or slic) and error and @ad<20010126	EPO; JPO; DERWENT; IBM_TDB
60	dmt and (dsl or slic) and error and @ad<20010126	USPAT

	<b>Search Text</b>	<b>DBs</b>
61	<b>dmt and (dsl or slic) and error and (divi\$5) and @ad&lt;20010126</b>	<b>USPAT</b>
62	<b>dmt and (dsl or slic) and (error with (divi\$5)) and @ad&lt;20010126</b>	<b>USPAT</b>
63	<b>dl89 not (dmt and (dsl or slic) and error and (divi\$5) and @ad&lt;20010126)</b>	<b>USPAT</b>
64	<b>(dmt and (dsl or slic) and error and @ad&lt;20010126) not (dmt and (dsl or slic) and error and (divi\$5) and @ad&lt;20010126)</b>	<b>USPAT</b>
65	<b>("4679227"   "5301052"   "5361254"   "5400322").PN.</b>	<b>USPAT</b>
66	<b>5790550.URPN.</b>	<b>USPAT</b>
67	<b>("5608725"   "5625651"   "5673290"   "5790550"   "5812786"   "6160820"   "6219377"   "6226322"   "6259746"   "6307839"   "6324184").PN.</b>	<b>USPAT</b>
68	<b>5608725.URPN.</b>	<b>USPAT</b>
69	<b>6501791.URPN.</b>	<b>USPAT</b>
70	<b>("5608725"   "5625651"   "5673290"   "5790550"   "5812786"   "6160820"   "6219377"   "6226322"   "6259746"   "6307839"   "6324184").PN.</b>	<b>USPAT</b>

	Search Text	DBs
71	("6285708" "6418161" "5822374" "5852633" "6058162" "6263048" "6292559" "6317495" "6393052" "6259746" "6122247" "6658051" "6144696" "6275522" "6452907" "6266348" "6226331" "6226331" "6240141" "6516049" "6646994" "6268815" "6487241" "5012519" "6351185" "6324268" "5930340" "5889856" "4963036" "5822693"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
72	("6285708" "6418161" "5822374" "5852633" "6058162" "6263048" "6292559" "6317495" "6393052" "6259746" "6122247" "6658051" "6144696" "6275522" "6452907" "6266348" "6226331" "6226331" "6240141" "6516049" "6646994" "6268815" "6487241" "5012519" "6351185" "6324268" "5930340" "5889856" "4963036" "5822693"	USPAT
73	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and dsl and (power with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and dsl and ((power\$2 or bandwidth\$2) with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	dsl and ((power\$2 or bandwidth\$2) with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	dsl and ((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two)) or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB



	<b>Search Text</b>	<b>DBs</b>
<b>77</b>	<b>dsl and (((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two))) or hal\$5)).ti. and @ad&lt;20010126</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>78</b>	<b>dsl and (((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two))) or hal\$5)).ab. and @ad&lt;20010126</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	Hits	Search Text	DBs
1	3	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and split\$5 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	2	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	1	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and split\$5 and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	139	(error adj correct\$5) and dsl and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	351	bandwidth and power and dsl and split\$5 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	31	(error adj correct\$5) and dsl and dmt and bin\$2 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	1	(bin\$2 with (error adj correct\$5)) and dsl and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	1	(bin\$2 with (error adj correct\$5)) and dsl and dmt and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	29	(bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	8	("5400322"   "5479447"   "5533008"   "5596604"   "5790550"   "5822374"   "5852633"   "5867528").PN.	USPAT
11	6	("5515387"   "5903602"   "6038294"   "6233275"   "6345071"   "6430219").PN.	USPAT
12	2	6587502.URPN.	USPAT
13	2	6587502.URPN.	USPAT
14	7	6122247.URPN.	USPAT
15	10	("4328581"   "4833706"   "5309503"   "5400322"   "5475864"   "5479447"   "5548819"   "5596604"   "5598435"   "5603082").PN.	USPAT
16	23	5852633.URPN.	USPAT

	Hits	Search Text	DBs
17	23	5852633.URPN.	USPAT
18	3514	attenuation and noise and mask	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	17	attenua\$5 and (nois\$5 adj (power or level)) and (power adj mask) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	0	(bisection adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	0	(bi?section adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	0	(section adj split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	8	(split\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	2183	(allocat\$5 or assign\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	2	(allocat\$5 or assign\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	3	(allocat\$5 or assign\$5 or splic\$5 or split\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	3	(allocat\$5 or assign\$5 or splic\$5 or split\$5) with (power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	4	(allocat\$5 or assign\$5 or splic\$5 or split\$5) same ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) )and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	4	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) )and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	4	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) ) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	5	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$5 or ton\$5) ) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	5	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and (bin\$2 with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	41144	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	13367	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	525	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) same ((power or energ\$5) same (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
36	216	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	6	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	EPO; JPO; DERWENT; IBM_TDB
38	195	(allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) with ((power or energ\$5) with (bin\$2 or frequenc\$5 or band\$10 or ton\$5) ) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT
39	98	((allocat\$5 or assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) near2 (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) with ((power or energ\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT
40	66	((assign\$5 or splic\$5 or split\$5 or divid\$5 or sectionaliz\$5) near2 (bin\$2 or frequenc\$5 or band\$10 or ton\$5)) with ((power or energ\$5)) and ((bin\$2 or frequenc\$5 or band\$10 or ton\$5) with (error adj correct\$5)) and @ad<20010126	USPAT
41	23	("Re31253"   "4087654"   "4131766"   "4247940"   "4464545"   "4682358"   "4800573"   "4924492"   "5052000"   "5285474"   "5317596"   "5400322"   "5461640"   "5479447"   "5495483"   "5574974"   "5619505"   "5649299"   "5715277"   "5732353"   "5777544"   "5784407"   "5852633").PN.	USPAT
42	0	(sequenti\$5 adj divid\$5 adj bandwidth\$5) and @ad<20010126	USPAT
43	0	(sequenti\$5 adj divid\$5 adj bandwidth\$5) and @ad<20010126	USPAT

	Hits	Search Text	DBs
44	447	((divid\$5 or separ\$5) adj bandwidth\$5) and @ad<20010126	USPAT
45	2367	dmt and (hal\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	146	dmt and dsl and (hal\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	118	dmt and dsl and (half or halves) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	23	dmt and dsl and ((half or halves) with (bin\$2 or frequenc\$5 or band\$5 or ton\$5) ) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	1	dmt and dsl and ((half or halves) with success\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	2	dmt and dsl and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	116	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	0	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	EPO; JPO; DERWENT; IBM_TDB
53	105	dmt and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT
54	2	dmt and dsl and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT
55	2	dmt and (dsl or slic) and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT
56	2	dmt and (dsl or slic) and ((half or halves or divid\$5 or separat\$5) with success\$5) and @ad<20010126	USPAT; US-PGPUB
57	325	dmt and (dsl or slic) and @ad<20010126	USPAT; US-PGPUB
58	29	dmt and (dsl or slic) and @ad<20010126	EPO; JPO; DERWENT; IBM_TDB
59	4	dmt and (dsl or slic) and error and @ad<20010126	EPO; JPO; DERWENT; IBM_TDB
60	213	dmt and (dsl or slic) and error and @ad<20010126	USPAT

	Hits	Search Text	DBs
61	168	dmt and (dsl or slic) and error and (divi\$5) and @ad<20010126	USPAT
62	13	dmt and (dsl or slic) and (error with (divi\$5)) and @ad<20010126	USPAT
63	0	dl89 not (dmt and (dsl or slic) and error and (divi\$5) and @ad<20010126)	USPAT
64	45	(dmt and (dsl or slic) and error and @ad<20010126) not (dmt and (dsl or slic) and error and (divi\$5) and @ad<20010126)	USPAT
65	4	("4679227"   "5301052"   "5361254"   "5400322").PN.	USPAT
66	33	5790550.URPN.	USPAT
67	11	("5608725"   "5625651"   "5673290"   "5790550"   "5812786"   "6160820"   "6219377"   "6226322"   "6259746"   "6307839"   "6324184").PN.	USPAT
68	20	5608725.URPN.	USPAT
69	0	6501791.URPN.	USPAT
70	11	("5608725"   "5625651"   "5673290"   "5790550"   "5812786"   "6160820"   "6219377"   "6226322"   "6259746"   "6307839"   "6324184").PN.	USPAT

	Hits	Search Text	DBs
71	92	("6285708" "6418161" "5822374" "5852633" "6058162" "6263048" "6292559" "6317495" "6393052" "6259746" "6122247" "6658051" "6144696" "6275522" "6452907" "6266348" "6226331" "6226331" "6240141" "6516049" "6646994" "6268815" "6487241" "5012519" "6351185" "6324268" "5930340" "5889856" "4963036" "5822693"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB



	Hits	Search Text	DBs
72	47	("6285708" "6418161" "5822374" "5852633" "6058162" "6263048" "6292559" "6317495" "6393052" "6259746" "6122247" "6658051" "6144696" "6275522" "6452907" "6266348" "6226331" "6226331" "6240141" "6516049" "6646994" "6268815" "6487241" "5012519" "6351185" "6324268" "5930340" "5889856" "4963036" "5822693"	USPAT
73	0	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and dsl and (power with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	7	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and dsl and ((power\$2 or bandwidth\$2) with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	305	dsl and ((power\$2 or bandwidth\$2) with (split\$5 or divi\$5 or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	151	dsl and ((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two)) or hal\$5)) and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
77	2	dsl and (((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two))) or hal\$5)).ti. and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	32	dsl and (((power\$2 or bandwidth\$2) with (((split\$5 or divi\$5) with ("2" or two))) or hal\$5)).ab. and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	0	09/619866.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	0	09619866.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	4	619866.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	2	527305.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	2	6356569.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	2	6144696.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	2	6134274.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	3	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240).ccls. and bandwidth and power and dsl and split\$5 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	75	(455/12.1, 370/477, 455/450, 455/451, 455/452.1, 455/452.2, 455/453, 455/454, 375/240, 375/222).ccls. and bandwidth and power and dsl and split\$5 and @ad<20010126	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	2	6400773.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
89	211	modem and power adj1 allocat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	75	(modem and power adj1 allocat\$3) and split\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
91	1	(modem and power adj1 allocat\$3) and bisection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	1	(modem and power adj1 allocat\$3) and sectioning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	109	(modem and power adj1 allocat\$3) and section\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	50	(modem and power adj1 allocat\$3) and section\$5 and split\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	0	modem and ((power adj1 allocat\$3) with (section\$5 and split\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB